

To: Keteles, Kristen[Keteles.Kristen@epa.gov]
From: Oberley, Gregory
Sent: Wed 4/3/2013 8:19:51 PM
Subject: RE: Do you have frequency of detections for Pavillion?

Sorry Kristen, what I have in the draft report is a list of the wells with the suite of analytes that were sampled for during each phase. It is not a frequency of detections for each well. At least that is what I'm assuming you wanted.

gregory

Gregory Oberley

Environmental Scientist

Aquifer Protection Program

1595 Wynkoop

Denver Colorado 80202

Excerpted from the White House Website concerning the Freedom of Information Act

"All agencies should adopt a presumption in favor of disclosure, in order to renew their commitment to the principles embodied in FOIA, and to usher in a new era of open Government. The presumption of disclosure should be applied to all decisions involving FOIA.

The presumption of disclosure also means that agencies should take affirmative steps to make information public. They should not wait for specific requests from the public. All agencies should use modern technology to inform citizens about what is known and done by their Government. Disclosure should be timely."

MEMORANDUM FOR THE HEADS OF EXECUTIVE DEPARTMENTS AND AGENCIES - Barack Obama

From: Keteles, Kristen
Sent: Wednesday, April 03, 2013 1:06 PM
To: Oberley, Gregory

Subject: Do you have frequency of detections for Pavillion?

I was going to put together a table with frequency, but before I do, thought I check and see if that had already been done.